

	Type	Hits	Search Text	DBs
123	BRS	77	(455/232.1-254.ccls.) and LNA	USPAT
124	BRS	137	(455/232.1-254.ccls.) and LNA	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
123	2004/09/14 18:38			0
124	2004/09/14 18:42			0

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	9	(pin adj diode) with LNA	USPAT;	2004/09/17 01:26	
2	BRS	L2	12	(pin adj diode) with LNA	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/09/17 01:40	
3	BRS	L5	669	(pin adj diode) with attenuator	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/09/17 01:40	
4	BRS	L6	25	(pin adj diode) with low adj noise adj amplifier	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/09/17 01:41	
5	BRS	L7	21	6 not 2	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM-TDB	2004/09/17 01:41	